

FIG. 1




FIG. 2A




FIG. 2B






FIG. 3A

FILE PUBLICATION

FILE WILL BE PUBLICIZED ON SERVER.  
PLEASE DESIGNATE PUBLIC FILE AND PRESS (SEND) BUTTON.

PUBLIC FILE (F) : C:\My Documents\aaa.html 42

REFERENCE
CANCEL

SEND
44

DIAL-UP CONNECTION

DIAL-UP CONNECTION WILL BE PERFORMED.  
PLEASE INPUT CONNECTION DESTINATION, USER NAME,  
AND PASSWORD.

CONNECTION DESTINATION (N) : aaa 48

USER NAME (U) : abc123456 50

PASSWORD (P) : \*\*\*\*\* 52

FIG. 3B




FIG. 4A

62

PROPERTY OF FTP

SETTING OF CONNECTION      SETTING OF FTP

FTP SERVER IS SET.

☒ SUBSCRIBER OF @nifty (N)
 AUTO GET (H)

SUBSCRIBER OF @nifty SHOULD APPLY FOR @homepage BY  
 THE HOMEPAGE OF @nifty, THEN PRESS [AUTO GET] BUTTON.

☐ SUBSCRIBER OF OTHER PROVIDER (P)
 [DETAILS SET (D)]

SUBSCRIBER OF OTHER PROVIDER SHOULD PRESS  
 [DETAILS SET] BUTTON, THEN SET DETAILED INFORMATION  
 OF FTP SERVER.

OK      CANCEL



FIG. 4B

FTP DETAILS

FTP SERVER NAME (S) :

FTP ACCOUNT (A) :

FTP PASSWORD (P) :

HOMEPAGE URL (U) :

HOMEPAGE FOLDER (F) :

PATH OF PERL (D) :

SELF-CREATION CGIURL (C) :

SELF-CREATION CGI FOLDER (G) :

CLOSE

FIG. 4C








FIG. 4D

96

## FTP DETAILS

FTP SERVER NAME (S) :

ftp.aaa.com

72

FTP ACCOUNT (A) :

abc123456

74

FTP PASSWORD (P) :

\*\*\*\*\*

76

HOMEPAGE URL (U) :

http://www.aaa.com/abc123456/

78

HOMEPAGE FOLDER (F) :

public

80

PATH OF PERL (D) :

/usr/bin/perl

82

SELF-CREATION CGIURL (C) :

http://www.aaa.com/abc123456/cgi-bin/

84

SELF-CREATION CGI FOLDER (G) :

cgi-bin

86

CLOSE

"0000" 000000

FIG. 5

95

```
<META HTTP-EQUIV="Content-type" CONTENT="text/html; charset=sjis">
<HTML>
<BODY>
  AHP PROFILE V1.0<BR>
  FTP-SVR:ftp.aaa.com<BR>
  FTP-ACC:abc123456<BR>
  FTP-PASS:AAABBBCCC<BR>
  HOMEDIR:public<BR>
  CGIDIR:cgi-bin<BR>
  HOMEURL:http://www.aaa.com/abc123456/<BR>
  CGIURL:http://www.aaa.com/abc123456/cgi-bin/<BR>
  PERLPATH:/usr/bin/perl<BR>
</BODY>
</HTML>
```

FIG. 6




FIG. 7

